EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query DBs		Default Operator	Plurals	Time Stamp
S1	5093	370'351,395.21,395.2,395.3,397,398,399.cds. (US-PCPUB, USPAT; FPRS; EPO, JPO; DERI	VENT; IBM_TDE	3 ∖ADJ	ON	2008/11/27 11:31
S2	942	SSI and (establish\$3 with request\$3) (US-PCPUB; USPAT; FPRS; EPO, JPO; DERI	VENT; IBM_TDE	3 ADJ	ON	2008/11/27 11:32
		\$2 and response\$2 ;US-PGPUB, USPAT; FPRS; EPO; JPO; DEN	VENT; IBM_TDE	3 ADJ	ON	2008/11/27 11:32
		(second near5 link near3 establish(3 near3 request(3)) (US-PGPUB; USPAT; FPRS; EPO; JPO; DERI	VENT; IBM_TDE	3 (ADJ	ON	2008/11/27 11:33
S5	43	SA same response (JUS PGPUB, USPAT; FPRS; EPC; JPC; DERI	VENT; IBM_TDE	B ∖ADJ	ON	2008/11/27 11:33
S6	21	;SS and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015") ;US PCPUB; USPAT; FPRS; EPO; JPO; DERI	VENT; IBM_TDE	3 ADJ	ON	2008/11/27 11:34
S7	32	; class with request\$3 with multiplex\$3 ;US-PCPUB; USPAT; FPRS; EPC; JPC; DERI	VENT; IBM_TDE	3 ADJ	ON	2008/12/01 14:26
S8	27411	:US-PGPUB; USPAT; FPRS; EPC; JPC; DEN	VENT; IBM_TDE	B ADJ	ON	2008/12/01 14:27
S9	5	:S7 and S8 (USPAT), FPRS; EPO; JPO; DEN	VENT; IBM TDE	3 ∤ADJ	ON	2008/12/01 14:27
,,,,,,,,,,	2	\$\frac{1}{2}\frac{1}{2	VENT: IBM TDE		ON	2008/12/01 14:41
()	("686419",pn. US-PGPUB, USPAT, FPRS; EPO, JPO; DERI		;}	ON	2008/12/01 15:02
	farana	"(6868419",pn. "US-PGPUB, USPAT, FPRS; EPO, JPO; DERI		arjammumaanaa	ON	2008/12/01 15:03
		information with request\$3 with multiplex\$3 US-PGPUB; USPAT; FPRS; EPO; JPO; DERI			ON	2008/12/01 15:10
	}	\$13 same Is US POPUB: USPAT, FPRS, EPO, JPO, DERI		,	ON	2008/12/01 15:10
<u>,</u>	<u> </u>	<u>.</u>			.,	<u> </u>
,	27411			,	(ON	2008/12/01 15:10
	,	(US POPUB, USPAT; FPRS; EPC; JPC; DERI			ON	2008/12/01 15:11
	ļ	(US POPUB, USPAT, FPRS, EPO, JPO, DERI		;	ON.	2009/06/02 13:32
<u>}</u>	·	9 second near2 request US PGPUB, USPAT, FPRS, EPO, JPO, DERI			ON	2009/06/02 13:34
S22	(corrección	\$21 same soft near2 (hand\$off) US PGPUB; USPAT; FPRS; EPO; JPO; DERI	VENT; IBM_TDE	3 ∖ADJ	ON	2009/06/02 13:34
S23	18	S21 same (soft near2 (hand\$off)) USPQPUB, USPAT; FPRS; EPC; JPC; DER	VENT; IBM_TDE	3 \ADJ	ON	2009/06/02 13:34
S24	0	(US-PGPUB, USPAT; FPRS, EPC, JPC, DER)	VENT; IBM_TDE	3 (ADJ	ON	2009/06/02 13:57
S25	267	S21 with (multiplex/\$5) (US-PGPUB; USPAT; FPRS; BPO; JPO; DERI	VENT; IBM_TDE	3 ∖ADJ	ON	2009/06/02 13:57
S26	35	\$25 same link ;US-PCPUB, USPAT; FPRS; EPO, JPO; DERI	VENT; IBM_TDE	3 ADJ	ON	2009/06/02 13:58
S27	45	S25 same channel US PGPUB; USPAT; FPRS; EPO; JPO; DERI	VENT; IBM_TDE	3 ADJ	ON	2009/06/02 13:58
S28	2	\$26 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015" or @prad<="20021015") (US PGPUB, USPAT, FPRS, EPC, JPC, DERI	VENT; IBM_TDE	3 ∖ADJ	ON	2009/06/02 13:58
S29	 45	\$27 same channel \$US-PGPUB, USPAT, FPRS; EPO; JPO; DEN	VENT; IBM TDE	3 ADJ	ON	2009/06/02 13:58
\$30	21	\$27 and (@ad<="20021015" or @riad<="20021015" or @prad<="20021015") US-PGPUB; USPAT; FPRS; EPO; JPO; DERI	VENT; IBM TDE	3 ADJ	ON	2009/06/02 13:58
	jama	9 [second near2 request ;US-PGPUB; USPAT; FPRS; EPO; JPO; DERI		; 	ON	2009/06/02 16:17
	(\$31 with (multiplex\$5) US-PCPUB; USPAT; FPRS; EPO; JPO; DERI			ON	2009/06/02 16:17
		\$32 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015") \$\$20 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")		,	ON	2009/06/02 16:17
		332 same (reply or response)			ON	2009/06/02 16:18
		\$34 and (@ad<="20021015" or @riad<="20021015" or @grad<="20021015") \$\$34 and (@ad<="20021015" or @riad<="20021015" or @grad<="20021015")		,	ON	,
		X XT X X X X X X X X X X X X X X X X X	.		.,	2009/06/02 16:18
,	·	6 Jink near? request US PGPUB, USPAT, FPRS, EPC; JPC; DEN		,	ON	2009/06/02 16:58
***************************************	,,,,,,,,,,,	\$36 same (reply or response)			ON	2009/06/02 16:58
	(\$37 same (multiplex\$5) US PGPUB; USPAT; FPRS; BPO; JPO; DERI			ON	2009/06/02 16:58
S39	34	\$38 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015") US PGPUB, USPAT; FPRS; EPO; JPO; DERI	VENT; IBM_TDE	3 (ADJ	ON	2009/06/02 16:58
S40	276	second near2 link near2 request (US PGPUB, USPAT; FPRS, EPC; JPC; DERI	VENT; IBM_TDE	3 ∤ADJ	ON	2009/06/02 17:04
S41	95	;S40 same (reply or response) ;US-PQPUB, USPAT; FPRS; EPC; JPC; DERI	VENT; IBM_TDE	3 \ADJ	ON	2009/06/02 17:04
S42	44	\$41 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015") ;US-PGPUB, USPAT; FPRS; EPO; JPO; DERI	VENT; IBM_TDE	3 ∖ADJ	ON	2009/06/02 17:04
S43	123	second near2 rate near2 request (US-PGPUB, USPAT, FPRS, EPC, UPC), DEN	VENT; IBM_TDE	3 (ADJ	ON	2009/06/02 17:17
S44	66	;S43 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015") (US-PGPUB; USPAT; FPRS; EPO; JPO; DERI	VENT; IBM_TDE	3 ADJ	ON	2009/06/02 17:17
S45	42729	9 (second near2 request US PGPUB, USPAT; FFRS; EPO; JPO; DERI	VENT; IBM_TDE	3 (ADJ	ON	2009/06/03 11:31
S46	14531	1 \$45 same (reply or response) US-PGPUB, USPAT, FPRS, EPO, JPO, DERI	VENT; IBM_TDE	3 (ADJ	ON	2009/06/03 11:31
	·····	SH6 and fdm and tdm US-PGPUB, USPAT, FPRS, EPO, JPO, DERI			ON	2009/06/03 11:32
	(correcce)	:S47 and (@ad<="20021015" or @ntad<=""20021015" or @prad<=""20021015") :US-PGPUB: USPAT; FPRS; EPO; JPO; DEFI			ON	2009/06/03 11:32
	<u> </u>	(US-PQPUB, USPAT, FPRS; EPO, JPO; DERI		,	ON	2009/06/03 11:35
	Ţ	9 (channel or link or connect\$5) near2 (terminat\$5)			ON	2009/06/03 11:52
	·	\$50 same \$45 US POPUB: USPAT; FPRS; EPO; JPO; DERI			ON	2009/06/03 11:52
	hum			,	ON	2009/06/03 11:52
	ļ	<u></u>		,		
***********	,	9 (370/351,395.21,395.2,397.398,399,537.cds. or 375/259,222.cds.			ON	2009/06/03 20:39
	<u> </u>	9 Second near2 request USPAT; FPRS; EPO; JPO; DERI		;	ON	2009/06/03 20:39
	*******	\$53 and \$54 USPAT; FPRS; EPO; JPO; DERI			ON	2009/06/03 20:39
	(SSS and (full-duplex or half-duplex or full duplex or half duplex or half duplex) US PGPUB; USPAT; FPRS; EPO; JPO; DERI	VENT; IBM_TDE	3 ∛ADJ	ON	2009/06/03 20:39
	10536	6 link near2 request US-PGPUB, USPAT; FPRS; EPC; JPC; DERI	VENT; IBM_TDE	3 (ADJ	ON	2009/06/03 20:40
S58	lang	SS7 and SS3 (US PGPUB, USPAT; FPRS, EPO, JPO; DERI	VENT: IBM TDE	3 ADJ	ON.	2009/06/03 20:40

59	4753	(link near2 request\$3) same information	US-PQPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON.	2009/11/05 16:57
60):	:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB :ADJ	;ON	2009/11/05 16:57
	ļ	S80 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ;ADJ	ON	2009/11/05 16:5
,,,,,,,	,,,,,,,,,,		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	:	2009/11/05 17:0
	(ON	
aaaaai	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u>"</u>	:US-PGPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB_;ADJ		2009/11/05 17:4
	(S63 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_;ADJ	ON	2009/11/05 17:4
65		((request\$3) same (single near2 packet)	:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	(ON	2009/11/05 18:0
66	76	\$65 same multiplex\$4	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	(ON	2009/11/05 18:0
67	50	\$66 and (@ad<="20021015" or @riad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB:\(\)ADJ	ON	2009/11/05 18:0
68	6627	[370] 351,395.21,395.2,395.3,397,398,399,537.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB; ADJ	ON	2009/11/06 12:1
69	16571	[370] 336, 337, 347, 351, 395, 21, 395, 2, 395, 3, 397, 399, 399, 458, 465, 468, 537, cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	ON	2009/11/06 12:1
70	11192	∜ink near2 request	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	ON	2009/11/06 12:1
71	2889	S70 same (reply or response)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ADJ	ON.	2009/11/06 12:1
		\$68 and \$71	:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ;ADJ	NON	2009/11/06 12:1
	<u> </u>	NEXT near2 link near2 request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ;ADJ	NON	2010/05/19 18:2
		<u> </u>	.,		
	}	(link near2 request) SAME CUPPENT SAME NEXT	:US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_;ADJ	(ON	2010/05/19 18:5
		(link near2 request) SAME CURPENT SAME NEXT	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_;ADJ	(ON	2010/05/19 20:4
76)91 	S75 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	;ON	2010/05/19 20:4
77	317	second near2 link near2 request	US-PQPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB. \(\) ADJ	(ON	2010/05/19 21:2
78	0	another near2 link near2 request	US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: \ADJ	ON	2010/05/19 21:2
79	337	second\$3 near2 link near2 request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB:\\aDJ	ON	2010/05/19 21:2
81	317	second near2 link near2 request	US-PQPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \ADJ	ON	2010/05/19 21:2
82	337	second\\\\3 near2 link near2 request	:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	ON	2010/05/20 13:3
			US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	ON	2010/05/20 13:3
		10/511091	:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ;ADJ	ON	2010/05/20 13:5
	,				
		(370) 336, 337, 347, 351, 395, 21, 395, 2, 395, 3, 397, 398, 399, 458, 466, 537, cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_;ADJ	(ON	2010/05/20 18:3
	<u> </u>	second\$3 near2 link near2 request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \(ADJ	ON.	2010/05/20 18:3
87 :	30	//S86 and S85	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB ADJ	(ON	2010/05/20 18:3
88	6	(multiplex\$9 with current with (next near2 request\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	ON	2010/10/26 17:3
	452	(multiplex\$9 with current with request\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB:\ADJ	ON	2010/10/26 17:32
90	67	S99 same (link or channel or path)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \(ADJ	ON	2010/10/26 17:33
91	46	(S90 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB:\\ADJ	ON.	2010/10/26 17:45
92	148	(multiplex\$9 with (next near2 request\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB \ADJ	ON.	2010/10/26 17:48
	,	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	;ON	2010/10/26 17:48
		It's with data		NON	2010/10/26 20:5
	,	Sa4 with multiplex(3	:US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ;ADJ	ON	2010/10/26 20:5
	ļ				,
	·	(S95 same (link or channel or path)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_ADJ	(ON	2010/10/26 20:5
	57	S96 and (@adc="20021015" or @rladc="20021015" or @pradc="20021015")	US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_\ADJ	ON.	2010/10/26 20:5
98	148	(multiplex\$9 with (next near2 request\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB }ADJ	;ON	2010/10/26 21:54
99	107	,598 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PQPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \ADJ	(ON	2010/10/26 21:54
100	385	(next near2 (link or channel) near2 request\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/10/27 14:49
101	15	S100 same multiplex\$9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB:\\aDJ	(ON	2010/10/27 14:50
102	250		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/10/27 15:11
103	2		US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_\ADJ	ON	2010/10/27 15:2
104	,,,,,,,,,,	second near6 (next near2 (link or channel) near2 request(\$3)	US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB ;ADJ	ON	2010/10/27 15:2
	(<u> </u>		ON	
aaaaai	processes	multiplex\$9 with (uplink near2 request\$3)	US-POPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ		(2010/10/27 15:4)
	([\$105 and (@adx="20021015" or @rlad<="20021015" or @prad<="20021015")	;US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_;ADJ	ON	2010/10/27 15:4
107	2	multiplex\$9 near3 data near3 signalling	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	(ON	2010/10/27 16:2
108	19	S107 same uplink	US-PQPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \ADJ	ON	2010/10/27 16:2
109	18	\$108 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \ADJ	(ON	2010/10/27 16:2
110	5	(S107 and (uplink near2 request\$3)	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	ON	2010/10/27 16:3
111	18	S109 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	ON	2010/10/27 16:3
112	·		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB ADJ	ON	2010/10/27 16:3
113	,	multiplex\$9 with data with signalling	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	(ON	2010/10/27 16:3
	ferences	S113 and (uplink near2 request\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB (ADJ	ON	2010/10/27 16:3
	******	3	./		aafaaaaaaaaaaa
115	,	(Information or data) with (uplink near2 request\$3) with together	US-PCPUB, USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_; ADJ	(ON	2010/10/27 16:4
116		S115 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	:US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB_;ADJ	(ON	2010/10/27 16:4
		<u> </u>	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	NO.	2010/10/27 18:15
118	1069	(information or data) with (uplink near2 request\$3)	US-PQPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \\ ADJ	(ON	2010/10/27 18:16
	424	S117 and S118	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB (ADJ	ON	2010/10/27 18:16

S120 136	S119 and (@ad<="20021015" or @rlad<="20021015" or @prad<="20021015")	US-PQPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/10/27 18:16
S121 4	[2002039996"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB \(ADJ	ON	2010/10/27 18:18
S122 3	, ¹¹ / ₂ 0020036996"	(US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB: ADJ	ON	2010/10/27 18:18

^{10/28/2010 1:14:39} PM
CA Documents and Settings ariyamii My Documents EAST\ Workspaces 10511091.wsp